









					
<table border="1"> <tr> <td>Model</td> <td>EW 530</td> </tr> <tr> <td>Code Production</td> <td>917704</td> </tr> </table>		Model	EW 530	Code Production	917704		
Model	EW 530						
Code Production	917704						
	Overall Dimension (Width-Depth-Height) *open	mm	401x490 (765*)x595				
	Packaging Dimension (WxDxH)	mm	470x560x740				
	Gross weight	Kg	30				
	Net weight	Kg	27				
	Volume	mc	0,19				
	Rack size	mm	350x350				
	Max door/hood opening	mm	260				
	Max glasses/plate Height	mm	250				
	General construction		single skin				
Door/hood Construction			double skin				
Tank construction			welded				
	Tank volume	liter	7				
	Tank heating element	W	600				
	Tank surface strainers		no				
	Wash pump type		single flow				
	Wash pump power	W	150				
	Wash temperature	°C	60				
	Boiler type		pressurized				
	Boiler volume	liter	2,6				
	Back-flow system		Valve				
	Boiler heating element	W	2600				
	Rinse booster pump		NO				
	Rinse booster pump power	W	-				
	Rinse temperature	°C	65				
	Rinse water consumption	Liter /rack	1,7				
	Optimal external water pressure	bar	2				
	Drain system		overflow				
	Drain pump		optional				
	Rinse aid dispenser	peristaltic	YES				
	Detergent dispenser	peristaltic	optional				
	Wash cycle	sec	120				
	Electric Power	W	3500				
	Electric Connection	V - ph - Hz	230V 1N 50Hz				
	Fuse	A	16				
Water softner			NO				
	Plates racks	n°-	NO				
	Flat Rack	n°2	780138				
	Cutterly Rack	n°1	780139				
	Support for saucers	n°	-				
	Electric cable	n°1	YES				
	Drain hose	n°1	YES				
	Fill hose	n°1	YES				

